## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	102	bit NEAR3 renam\$3	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2007/07/22 23:44
L5	102	bit NEAR3 renam\$3	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2007/07/22 23:44
L6	. 42	predicat\$3 WITH renam\$3	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2007/07/22 23:44
L7	34	(different NEAR3 (size\$1 or length\$1 OR bits OR width\$1)) SAME renam\$3	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2007/07/22 23:44
L8	104	(two NEAR3 (size\$1 or length\$1 OR bits OR width\$1)) SAME renam\$3	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2007/07/22 23:44
L9	94	L8 NOT L7	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2007/07/22 23:44
L10	42	reorder buffers WITH (integer and floating point)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2007/07/22 23:44
L11	42	predicat\$3 WITH renam\$3	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2007/07/22 23:44
L12	265	(ROB or (rename NEAR4 (buffer\$1 OR file\$1 OR register\$1))) WITH (length\$1 OR size\$1 OR width\$1)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2007/07/22 23:44